


KV-21XTR1
RM-Y116


KV-21XTR1
RM-Y116


SECTION 6 DIAGRAMS

6-1. BLOCK DIAGRAMS




A
(TUNING CONTROL, AUDIO AMP, TIMER + VIF + SIF, AV SWITCHER)
(VIF JUNGLE, V-DEF, H-DEF, AV TERMINAL)






C [R. G. B. OUT]


- C BOARD - (Conductor Side)





• C BOARD WAVEFORMS



← **G** board







① TV IN  2.6 Vp-p (H)	① VIDEO IN  2.2 Vp-p (H)	② VIDEO 2  1 Vp-p (H)
③ VIDEO 1  1 Vp-p (H)	④ TV IN  1.2 Vp-p (H)	⑤  5 Vp-p (V)
⑥  5 Vp-p (H)	⑦  5 Vp-p (4.2MHz)	⑧  0.8 Vp-p (H)
⑨  2.3 Vp-p (H)	⑩  2 Vp-p (H)	⑪  1.6 Vp-p (H)
⑫  1.6 Vp-p (H)	⑬  5.3 Vp-p (H)	⑭  0.35Vp-p (V)
⑮  4 Vp-p (H)	⑯  1.6 Vp-p (V)	⑰  2 Vp-p (V)
⑱  1.3 Vp-p (V)	⑲  3.6 Vp-p (V)	⑳  4.2 Vp-p (H)
㉑  4 Vp-p (H)	㉒  4.2 Vp-p (H)	㉓  2.4 Vp-p (H)
㉔  2.4 Vp-p (H)	㉕  3.5 Vp-p (H)	㉖  150 Vp-p (H)
㉗  880 Vp-p (H)	㉘  4 Vp-p (V)	㉙  0.5 Vp-p (V)
㉚  52 Vp-p (V)	㉛  3.2 Vp-p (V)	㉜  4.3 Vp-p (V)
㉝  3 Vp-p (V)	㉞  1.5 Vp-p (V)	㉟  195 Vp-p (H)

CAUTION
When replacing T504, be sure to check the print value value (TPRS). Refer to the Safety Adjustment Section.

B-554823(WP.)-A.