

D

C

B

A

D

C



B

A

AREA	voltage	R12	R11	AM(KHz)	FM(MHz)	AM STEP FREQ	FM STEP FREQ
Europe	0V-0.8V	OPEN	22K	522-1620	87.5-108	9K(Hz)	50K(Hz)
America	0.8V-1.5V	47K	10K	530-1710	87.5-107.9	10K(Hz)	200K(Hz)
Japan	1.5V-2.5V	47K	22K	522-1620	76-90	10K(Hz)	100K(Hz)
Russia	2.5-3.5V	22K	47K	522-1620	65-108	10K(Hz)	50K(Hz)
Taiwan	3.5V-5V	47K	OPEN	522-1620	87.5-108	10K(Hz)	50K(Hz)

MODE	VOLTAGE	R65	R64
RDS/TV OFF	0V-0.8V	OPEN	22K
RDS.OFF TV.ON	0.8V-1.5V	47K	10K
RDS.ON TV.OFF	1.5V-2.5V	47K	22K
RDS/TV ON	2.5-5V	22K	47K

MM2235			
SW	OUT	TV(IN1)	AUX(IN2)
SW1		1	1
SW2		1	0




COMPANY: HAOKE		
CLIENT:	MODEL: XXXX	
DRAWN:	CHECKED:	REV:
SCALE:	DATED:	SHEET: OF


D

C

B

A





MODEL:		FILE NAME:			
PART NO:		FILE NO:			
PART NAME:		REV:	UPDATE:	REV:	UPDATE:
DRAWG NO:		01		03	
		02		04	

