

2. Product Specifications

NON-CFC

Model name (NON-CFC)			SRG-V57	SRG-569MV	SRG-569LV	SRG-V52	SRG-519MV	SRG-519LV
Option			High	Middle	Low	High	Middle	Low
Type			2-Door Freezer/Refrigerator					
Power source			AC 110V/60Hz, 220V/50Hz, 230~240V/50Hz					
Capacity (Net)	Freezer		120LT (4. ² cu.ft)					
	Refrigerator		344LT (12. ¹ cu.ft)			304LT (10. ⁷ cu.ft)		
	Total		464LT (16. ³ cu.ft)			424LT (14. ⁹ cu.ft)		
Net Dimensions (mm)	Width		740					
	Depth		705					
	Height		1836			1748		
Net weight (Kg)			85			80		
Refrigerant			HFC-134a / 160Gr					
Temperature control			Automatic (Thermostat)					
Defrosting			Automatic (Start-Finish by Timer)					
Refrigerator cooling type			“X”-FLOW	MULTI-FLOW		“X”-FLOW	MULTI-FLOW	
Foam	Cabinet-insulation		Cyclo-Pentane					
	Door-insulation							
Liner/Door Panel			ABS					
Accessory Parts	Door storage		1 Guard bottle					
			2 Guard freezer					
			3 Guard variety					
			2 Tray egg					
	Inside storage	F	1 Freezer shalf					
			1 Air shower					
			2 Twist tray ice					
			1 Tray ice cube					

Model name (NON-CFC)			SRG-V57	SRG-569MV	SRG-569LV	SRG-V52	SRG-519MV	SRG-519LV
Option			High	Middle	Low	High	Middle	Low
Accessory Parts	Inside storage	R	2 Slide-out		2 Slide-out	2 Slide-out		2 Slide-out
			shelves		wire shelves	shelves		wire shelves
			1 Tray chilled room					
			1 vegetable ware					
			1 Guide vegetable					
	Interior lamp		2 (Refrigerator), 1 (Freezer)					
	Movable caster		2 (Rear), 2 (Front)					
	Angle adjustment		2 Legs (Front)					

CFC

Model name (CFC)			SR-V57	SR-569MV	SR-569LV	SR-V52	SR-519MV	SR-519LV
Option			High	Middle	Low	High	Middle	Low
Type			2-Door Freezer/Refrigerator					
Power source			115V/60Hz, 220V/50, 60Hz, 230~240V/50Hz					
Capacity (Net)	Freezer		120LT (4. ² cu.ft)					
	Refrigerator		344LT (12. ¹ cu.ft)			304LT (10. ⁷ cu.ft)		
	Total		464LT (16. ³ cu.ft)			424LT (14. ⁹ cu.ft)		
Net Dimensions (mm)	Width		740					
	Depth		705					
	Height		1836			1748		
Net weight (Kg)			85			80		
Refrigerant			R-12 / 160Gr					
Temperature control			Automatic (Thermostat)					
Defrosting			Automatic (Start-Finish by Timer)					
Refrigerator cooling type			“X”-FLOW	MULTI-FLOW		“X”-FLOW	MULTI-FLOW	
Foam	Cabinet-insulation		Cyclo-Pentane					
	Door-insulation							
Liner/Door Panel			ABS					
Accessory Parts	Door storage		1 Guard bottle					
			2 Guard freezer					
			3 Guard variety					
			2 Tray egg					
	Inside storage	F	1 Freezer shalf					
			1 Air shower					
			2 Twist tray ice					
			1 Tray ice cube					

Model name (CFC)			SR-V57	SR-569MV	SR-569LV	SR-V52	SR-519MV	SR-519LV
Option			High	Middle	Low	High	Middle	Low
Accessory Parts	Inside storage	R	2 Slide-out		2 Slide-out	2 Slide-out		2 Slide-out
			shelves		wire shelves	shelves		wire shelves
			1 Tray chilled room					
			1 vegetable ware					
			1 Guide vegetable					
	Interior lamp		2 (Refrigerator), 1 (Freezer)					
	Movable caster		2 (Rear), 2 (Front)					
	Angle adjustment		2 Legs (Front)					