



Floor Fan

Service Manual

MODEL: FP-16A

CONTENTS

CAUTION	4
RULES FOR SAFE OPERATION	5
OPERATING INSTRUCTIONS	6
SPECIFICATION	7
CLEANING.....	8
EXPLODED VIEW.....	9
PART LIST	10
CIRCUIT DIAGRAM	11

CAUTION

Read and follow all instructions before operating fan. Do not use fan if any part is damaged or missing.

Warning:

1. To reduce the risk of fire or electric shock, do not use this fan with any solid state speed control device. This appliance has a 3-prong plug, to reduce the risk of electrical shock, this plug is intended to fit it an outlet only way. If this does not fit the outlet, contact a qualified electrician. Do not attempt to bypass this procedure.
2. Replace the power cord, please send the appliance to the qualified repaired station.

RULES FOR SAFE OPERATION

1. Do not insert fingers of any objects through the guard when fan is in operation.
2. Disconnect fan when moving from one location to another.
3. Disconnect fan when removing guards for cleaning.
4. Make sure fan is on the stable, flat surface when in operation.
5. Do not use fan in windows. Rain and moisture may create an electrical hazard.

OPERATING INSTRUCTIONS

- **To adjust airflow upward or downward:** loosen the knobs on the side of the fan body, tilt the fan head to the desired angle and tighten the knobs.
- **Speed control:** change the setting on the speed control to the desired setting-low “1”, medium “2” or high “3”
- **Moving fan:** grasp the handle firmly and move to the desired location.


SPECIFICATION

Spec	16 inch
Power Input Rated:	230V ~
Frequency:	50Hz
Rated Power	105Watt

CLEANING

- Unplug from electrical supply source before cleaning. After servicing, any safety device (including grilles and blades) must be reinstalled or remounted as previously installed. Use soft damp cloth then wipe with dry cloth. Do not use harmful cleaners. Do not bend the blades.

EXPLODED VIEW



PART LIST

NO	Part name	Qty
1-1	Supply cord	1
2	Plug	1
3	Switch box	1
4	Capacitor	1
5	Screw	1
6	Switch	1
7	Connector	1
8	Nut	1
9	Thermal-link	1
10	Motor	1
11	Rear guard	1
12	Lock nut	1
13	Washer	1
14	Rubber ring	1
15	Screw	1
16	Stand	1
17	Rubber foot	1
18	Screw	1
19	Guard ornament	1
20	Front guard	1

CIRCUIT DIAGRAM

