

Schaltbild • Circuit diagram

**CLASS 1
LASER PRODUCT**



**UNSICHTBARE LASERSTRAHLUNG
NICHT DEM STRAHL AUSSETZEN**

(D) VORSICHT!

**Die Geräte beinhalten eine Laserkomponente!
Im Servicefall bitte nachfolgende Hinweise
beachten:**


- Das Gerät arbeitet mit unsichtbarem Laserstrahl.
- Bei geöffnetem Gerät tritt im Bereich des Plattenfaches Laserstrahlung aus.
- Nicht in den Strahl blicken.
- Unbeteiligte Personen vom Arbeitsplatz fernhalten.
- Der Betrachtungsabstand darf 13 cm nicht unterschreiten.
- Kann dies nicht eingehalten werden, muß eine geeignete Laserschutzbrille getragen werden.


(GB) CAUTION!





**The CD units are equipped with a laser component!
For servicing make sure to observe the following
instructions:**

- The unit operates with invisible laser beams.
- When the cover is removed, invisible laser beams are emitted near the disc compartment.
- Avoid direct eye contact with these beams.
- Keep unauthorised persons away from the workbench.
- The viewing distance should not be less than 13 cm.
- If this distance cannot be kept, use suitable laser safety goggles.












HAUPTPLATTE MAIN BOARD Schnittstelle Interface







processor




HAUPTPLATTE
MAIN BOARD
NF-Prozessor (DCR4)
AF Processor (DCR4)



PL 9848 D05









HAUPTPLATTE
MAIN BOARD
ADEQ





HAUPTPLATTE
MAIN BOARD
NF-Quellen
AF Source




HAUPTPLATTE
MAIN BOARD
MP3








SCHALTERPLATTE KEY BOARD Teil 2 / Section 2





ANSCHLUSSPLATTE CONNECTOR BOARD

PL 9849 D02